

To: Schmittdiel, Paula[Schmittdiel.Paula@epa.gov]
Cc: Pat Maley[Pat.Maley@Kinross.com]; Nat Beal[NBeal@formationenv.com]
From: Brian Hansen
Sent: Thur 8/27/2015 10:38:54 PM
Subject: Re: Sunnyside SOP Backcheck

Thanks Paula.

Sent from my iPhone

On Aug 27, 2015, at 4:37 PM, Schmittdiel, Paula <Schmittdiel.Paula@epa.gov> wrote:

Paula Schmittdiel
Remedial Project Manager
U.S. Environmental Protection Agency
1595 Wynkoop St.
Denver, CO 80202
Office: 303-312-6861
Fax: 303-312-7151
Cell: 720-951-0795

From: Schmittdiel, Paula
Sent: Thursday, August 27, 2015 4:34 PM
To: Pat Maley (Pat.Maley@Kinross.com); 'blhansen@formationenv.com'
Subject: FW: Sunnyside SOP Backcheck

EPA has reviewed the revised SOPs and we do not have any further comments on them.

Paula Schmittiel

Remedial Project Manager

U.S. Environmental Protection Agency

1595 Wynkoop St.

Denver, CO 80202

Office: 303-312-6861

Fax: 303-312-7151

Cell: 720-951-0795

From: Bowen, Ian

Sent: Thursday, August 27, 2015 3:15 PM

To: Schmittiel, Paula

Subject: Sunnyside SOP Backcheck

Paula,

I looked through the SOPs provided today and all my comments were addressed and I do not have any further comments. I think I was the only one who specifically commented on SOPs.

Thanks,

Ian Bowen, R.G.

Regional Hydrogeologist

US EPA Region 8, 8EPR-S

1595 Wynkoop St.

Denver, CO 80202

303.312.7029